



Natural Nitrile PF 250

Powder Free Extra Length Ambidextrous Non-Sterile 25 cm Nitrile Gloves with Textured Fingertips

Registered as PPE Category III (Complex Design) according to Council Directive 89/686/EEC

Fully compliant to the latest PPE norms – EN 374:2003 “Protective gloves against chemicals and micro-organisms”

PRODUCT INFORMATION

Size	Catalogue Numbers	Applicable Norms with Pictograms		
Extra Small (XS/6)	62 7121	EN 374:2003 	EN 374:2003 Level 2	
Small (S/7)	62 7122			
Medium (M/8)	62 7123			
Large (L/9)	62 7124	EN 420:2003 + A1:2009		
		<small>Also meets or exceeds EN 455-1:2000, EN 455-2:2015, EN 455-3:2015 & EN 455-4:2009 relating to Council Directive 93/42/EEC for Medical Devices</small>		

* SGS UK Ltd (Notified Body No: 0120), Unit 202B Worle Parkway, Weston-super-Mare, BS22 6WA, United Kingdom

Material: Synthetic soft nitrile polymer (Acrylonitrile Butadiene). Contains no natural rubber latex.

Design: Translucent, ambidextrous, beaded cuff and with textured fingertips.

Packaging: Two Hundred (200) gloves per natural carton dispenser. Gloves are flat-packed. Ten (10) dispensers per case. Recycle carton only.

PHYSICAL PROPERTIES

Characteristics	Value	Test Method
Freedom from holes	<1.5 AQL ¹	EN 374:2003

¹ AQL as defined per ISO 2859 for sampling by attributes

Tensile Properties	Tensile Strength (min) Typical		Ultimate Elongation	
- Before Aging	6.0N, min.	6.0N	500%, min.	EN 455-2:2015, ASTM D573-04(2015) and ASTM D412-15(a)
- After Accelerated Aging	6.0N, min.	6.0N	400%, min.	

Dimensional	Measured Point	Mm	mil	
- Nominal Thickness	Middle Finger	0.11	4.3	ASTM D3767-03(2014)
	Palm	0.08	3.1	
	Cuff	0.06	2.4	
- Length	250mm, min.		255mm, typical	EN 420:2003 + A1:2009

Palm Widths

- Nominal Width (mm)	XS/6	S/7	M/8	L/9	EN 455-2:2015
	≤80	85	95	105	

Hand Circumference

- Nominal circumference (mm)	XS/6	S/7	M/8	L/9	EN 420:2003 + A1:2009
	152	178	203	229	

ADDITIONAL DATA

- **Biocompatibility** demonstrated by Modified Buehler and Primary Skin Irritation Tests.
- **Free of Thiazoles and Thiurams** - these chemical accelerators are excluded from the manufacturing process.
- **Free of Titanium dioxide** - this pigment is excluded from the manufacturing process.
- **Powder free** to minimize the potential consequences of powder-borne dermatitis. Residual powder content is 1.0 mg/glove (typical) with a limit of 2.0 mg/glove (ISO 21171:2006 “Medical gloves - Determination of removable surface powder”).
- **Micro - organism and virus resistant** - passes highest level of micro - organism resistance per EN 374-2:2014 (Performance level 2, AQL <1.5 and inspection level G1 according to 1000ml water test) and passes viral penetration test using Phi-X 174 bacteriophage (ISO 16604:2004 Procedure B & ASTM F1671-97b).
- **Ecological** - 100% more products in the same volume to limit CO2 emissions and save space storage. Ink on the packaging reduced by 60%. Packaging made from recycled cardboard. Supply Chain optimized to reduce CO2 emissions by more than 15% to deliver our products.
- **Extensively tested for chemical permeation** according to EN 16523-1:2015 (please refer to chemical resistance guide on website - www.shieldscientific.com/public/chemical-resistance-guide).

QUALITY SYSTEMS

- Manufactured in accordance with ISO 9001:2015 and ISO 13485:2016.

“ecoSHIELD™, Protect Your Future”



www.shieldscientific.com